

Phone: (02) 4958 4588 Email: sales@endeavourmarine.com.au Websites://www.endeavourmarine.com.au/ 1 Nanda St Marmong Point NSW 2284



Mercury 115 HP EFI Fourstroke

POA

Specifications

Boat Details

PricePOAModel115 HP EFI (Fourstroke)Year2024Hull StylePower TypeConditionNewSuburbMARMONG POINT

Boat Brand Length Category Hull Type Stock Number State Engine Make Mercury 0.00 Boat Engines and Outboards 0 New South Wales

Mercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Description

Mercury 115 HP EFI Fourstroke - Unbridled power, unexpectedly compact, uncompromising reliability, unbelievable fuel efficiency. Unlike any other mid-range Fourstroke the world has ever seen. HP / kW

•115 / 84.6

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

•2.1

Full throttle RPM • 5000-6000

Air induction • Performance-Tuned Scroll Intake Manifold

Fuel induction system • Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

• 35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel • Unleaded 91 RON Minimum

Recommended oil • Mercury FourStroke Oil 10W-30

Engine protection operator warning system • SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

Yes

Starting • Smart Start Electric

Controls • Mechanical throttle & shift

Steering • Big Tiller Compatible

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Dual Cable Mechanical

Hydraulic power steering

Shaft length

- 20" / 508 mm
- 25" / 635 mm

Gearcase ratio

•2.07:1

Dry weight *Lightest model available • 359 lbs / 163 kg

Emissions Star Rating

• 3

Bore and stroke • 3.5 x 3.2" / 90 x 81 mm

Ignition • SmartCraft ECM 70 Digital Inductive

Fuel system

• Electronic Fuel Injection (EFI)

Cooling system • Water-cooled with thermostat

Gear shift

• F-N-R

Gearcase options

Standard

Trim system

- Power Tilt
- Power Trim

Exhaust system

Through prop

Shallow water trim range (degrees)

•20

Color

• Phantom Black

Lubrication system

Disclaimer

Phone: (02) 4958 4588 Email: sales@endeavourmarine.com.au Websites://www.endeavourmarine.com.au/ 1 Nanda St Marmong Point NSW 2284

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Integrated Dry Sump

Oil Capacity • 5.5 qts / 5.2 l

Maximum Trim Range • 22° (-6° to 16°)

Maximum Tilt Range • 70° (-6° to 64°)

| Features Horse Power (hp) | 115 |
|---|----------------|
| Engine Details Engine Make Horse Power | Mercury 115 |

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.